

11/10/15 12:02PM
11/03/2015 12:51
11/03/2015 12:00

VISALIA POLICE DEPARTMENT ADMIN 5597134807
5597404461 TCSO DET BUREAU
Orchard ORCHARDM → TCSO - V C UNIT

p. 03
PAGE 04/12
3/6



Toxicology Report

TRMC-Mineral King Laboratory, 880 E. Merritt Ave. STE 107-108, Tulare, CA 93274
Phone: (559) 685-3456 Fax: (559) 685-8745
Directors: Gary Walter M.D. - Jie-Rong Zhang M.D. Ph.D. - Sharon Fong C.L.S.



Collected By: EDUARDO RUVALCABA
Date/Time Collected: 6/16/2015 14:05
Date/Time Received: 6/17/2015 13:30
Completion date: 6/23/2015 15:53

Name/DOB: [REDACTED]
Accession #: 1505635
Case Number: 15-0824 [REDACTED]

Specimen Type BLOOD

VISALIA POLICE DEPT
303 S. Johnson St.
Visalia, CA 93291
(559) 713-4727

LGRAY-1LAV
OFFENSE: ADMIN/OFFICER: D. MAURICE S122
DRIVER LICENSE NUMBER: Not provided on chain of custody

Blood Drug Screen (by ELISA) Results

Approved by SM

<u>Amphetamines</u>	<u>See Amphetamine Confirmation</u>
Barbiturates	Negative
Cannabinoids	Negative
Cocaine (Metabolite)	Negative
Benzodiazepines	Negative
Opiates	Negative
Phencyclidine	Negative

Amphetamine Confirmation (GC/MS) Results

Approved by SC

<u>Amphetamine</u>	<u>58</u>	ng/mL
<u>Methamphetamine</u>	<u>500</u>	ng/mL
Ephedrine	Not detected	
Pseudoephedrine	Not detected	
Phenylpropranolamine	Not detected	
Phentermine	Not detected	
MDMA, MDA, MDEA	Not detected	

Accession #: 1505635/1
This report continues. (Final)

Reviewed by: _____



Toxicology Report

TRMC-Mineral King Laboratory, 880 E. Merrill Ave., STE 107-108, Tulare, CA 93274
Phone: (559) 685-3456 Fax: (559) 685-6745
Directors: Gary Walter M.D. - Jue-Rong Zhang M.D. Ph.D. - Sharon Fong C.L.S.



Collected By: EDUARDO RUVALCABA
Date/Time Collected: 6/16/2015 14:05
Date/Time Received: 6/17/2015 13:30
Completion date: 6/23/2015 15:53

Name/DOB: [REDACTED]
Accession #: 1505635
Case Number: 15-08244 [REDACTED]

VISALIA POLICE DEPT
303 S. Johnson St.
Visalia, CA 93291
(559) 713-4727

Specimen Type: BLOOD

MKLELISA Drug Screen Limits of Detection [1]

Approved by [1]

PANEL	THRESHOLD
Amphetamines	5 ng/mL
Methamphetamines	5 ng/mL
Barbiturates	5 ng/mL
Cocaine	10 ng/mL
Benzodiazepanes	5 ng/mL
Opiates	5 ng/mL
PCP	5 ng/mL
THC	5 ng/mL

A cut-off of 10 ng/mL was adopted and validated by MKL to ensure the detection of all true positives.

Blood Reference Ranges & GC/MS Lower Quant Levels [1]

Approved by [1]

Drug	Reference Ranges	Source	GC/MS Lower Quantitation Level
Amphetamine	35-111 ng/mL	(1,2)	20 ng/mL
Methamphetamine	10-50 ng/mL	(1,2)	20 ng/mL
Etalbital	1,500-2,100 ng/mL	(1)	20 ng/mL
Pentobarbital	1,200-3,100 ng/mL	(1)	20 ng/mL
Phenobarbital	700-18,000 ng/mL	(1)	20 ng/mL
Secobarbital	2,000 ng/mL	(1)	20 ng/mL
Cocaine	11-200 ng/mL	(1)	20 ng/mL
Benzylacgonans	N/A		20 ng/mL
Alprazolam	19-55 ng/mL	(1,2)	100 ng/mL
Diazepam	148-1,030 ng/mL	(1)	25 ng/mL
Oxazepam	180-2,000 ng/mL	(2,3)	25 ng/mL
Temazepam	200-1,100 ng/mL	(2)	50 ng/mL
Codeine	30-134 ng/mL	(1)	20 ng/mL
Morphine	20-440 ng/mL	(1)	20 ng/mL
Phencyclidine	7-240 ng/mL	(1,2)	1 ng/mL
Delta-9-THC	Peak (11 minutes after smoking)	(2)	1 ng/mL

Accession #: 1505635/2
This report continues... (Final)

Reviewed by: _____
Page 2

11/10/15 12:02PM

VISALIA POLICE DEPARTMENT ADMIN

5597134807

p.05

11/03/2015 12:51

5597404461

TCSO DET BUREAU

PAGE 06/12

11/3/2015 12:58

Orchard

ORCHARDM -> TCSO - V C UNIT

5/6

Toxicology Report



TRMC-Mineral King Laboratory, 880 E. Merritt Ave., STE 107-108, Tulare, CA 93274
Phone: (559) 685-3456 Fax: (559) 685-8745
Directors: Gary Walter M.D. - Jue-Rong Zhang M.D. Ph.D. - Sharon Fong C.L.S



Collected By: EDUARDO RUVALCABA
Date/Time Collected: 6/16/2015 14:05
Date/Time Received: 6/17/2015 13:30
Completion date: 6/23/2015 15:53

Name/DOB: [REDACTED]
Accession #: 1505635
Case Number: 15-0824 [REDACTED]

Specimen Type: BLOOD

VISALIA POLICE DEPT
303 S. Johnson St.
Visalia, CA 93291
(559) 713-4727

Blood Reference Ranges & GC/MS Lower Quant Levels (cont'd)

Approved by: []

	46-188 ng/mL	
	After 3 hours, .7-1.2 ng/mL	
THC-COOH	N/A	5 ng/mL

Sources:

1. Dimairo, Vincent J., Dimairo Dominick, Forensic Pathology, 2nd Edition, CRC Press LLC, 2000 N.W. Corporate Blvd., Boca Raton, Florida 33431, 2001.
2. Baselt, Randall C., Ph.D Disposition of Toxic Drugs and Chemicals in Man, 7th Edition, Biochemical Publications, PO Box 0299, Foster City, CA 94404, 2004.
3. Meffat, Anthony C, Osselton, David, Widdep, Brian, Clarke's Analysis of Drugs and Poisons, 3rd Edition, Vol. 2, Pharmaceutical Press, 2004.

11/10/15 12:02PM
11/03/2015 12:51
11/3/2015 12:58

VISALIA POLICE DEPARTMENT ADMIN
5597404461

5597134807
TCSO DET BUREAU

Orchard

ORCHARDN-TCSO- V C UNIT

p.06
PAGE 07/12
6/6



Toxicology Report

TRMC-Mineral King Laboratory, 880 E. Merritt Ave., STE 107-108, Tulare, CA 93274
Phone: (559) 685-3456 Fax: (559) 685-8745
Directors: Gary Walter M.D. - Jue-Rong Zhang M.D. Ph.D. - Sharon Fong C.I.S.



Collected By: EDUARDO RUVALCABA
Date/Time Collected: 6/16/2015 14:05
Date/Time Received: 6/17/2015 13:30
Completion date: 6/23/2015 15:33

Name/DOB: [REDACTED]
Accession #: 1505635
Case Number: 15-08244 [REDACTED]

Specimen Type: BLOOD

VISALIA POLICE DEPT
303 S. Johnson St.
Visalia, CA 93291
(559) 713-4727

Blood Alcohol (by GC) Results: Units (in % (g/100ML))

Approved by: SM

TESTED BY: SM
TEST DATE: 6/22/15
Blood Alcohol (Ethanol): 0.00 %

Alcohol testing performed on gray top tube (containing preservative and anti-coagulant), unless otherwise specified

Legal limit: 0.08% for motor vehicle operation.

I certify, under penalty of perjury, under the laws of the state of California, that the attached blood alcohol analysis was performed during the regular course of my duties, and is a true and correct copy thereof. I further certify that I am an approved FORENSIC ALCOHOL ANALYST or SUPERVISOR by the state of California, that I am qualified to perform this analysis pursuant to Title 17 of the California Code of Regulations, and that the equipment used in arriving at the result was in proper working order at the time the analysis was performed and that the recording of the result was done at the time of the analysis. The lab accepted policy and procedures for Forensic Alcohol Analysis have been accepted by the State of CA and were followed during this analysis.

Signature: _____